



Special promotion expanded and extended

Earn an extra 5% off

Bundled drive and UL type 1 enclosure kits, 1–7

[usa.siemens.com/sinamics-g120](http://usa.siemens.com/sinamics-g120)

## Special 4th quarter FY18 and 1st quarter FY19

The enclosed general purpose (GP) drives market potential is huge in the United States, and now we have a solution that will allow you to claim a big piece of it with the new UL type 1 enclosure kit for the SINAMICS G120C and G120 drives.

Many installations require a NEMA 1 solution. Siemens offers a fully-tested and approved UL type 1 solution that meets the new UL61800-5-1 standard, which will replace UL508C in the year 2020.

This special promotion bundles the drive and UL type 1 kits 1–7 at an aggressive price. Selling the package not only offers you an additional promotional discount, but it will allow you to enter a new market to grow overall Siemens sales. Through this limited-time special promotion, we believe you will be able to significantly grow your presence at end-customers and select OEM accounts.


### Promotion details—It is easy as 1, 2, 3!

- 1 Quote and sell the bundled package. See the DRC\* for the drive part numbers matched to the kits.
- 2 Submit a rebate claim for an extra 5% off your normal in-stock price.
- 3 This program applies to the enclosure kits 1–7 and their matching SINAMICS G120C and G120 drives.

*This program will be effective until December 31, 2018. DF MC reserves the right to extend or cancel this program at any time.*

*\*Distributor Resource Center, Drives page*

Part number	Kit	Applicable drives	Weights kg (lbs.)			Overall dimensions mm (in.)		
			drive only	kit	total	H	W	D
6SL3262-1CR00-0BA0	1	G120C all Frame AA	1.7 (3.7)	2.7 (6)	4.4 (9.7)	370 (14.57)	112 (4.41)	183 (7.20)
6SL3262-1CA00-0BA0	2	G120C (3–4kW), PM240-2 all Frame A	2.3 (5.1)	3.4 (7.5)	5.7 (12.6)	371 (14.57)	112 (4.41)	230 (9.06)
6SL3262-1CB00-0BA0	3	G120C/PM240-2 all Frame B	2.3 (5.1)	4.1 (9)	6.4 (14.1)	460 (18.11)	112 (4.41)	230 (9.06)
6SL3262-1CC00-0BA0	4	G120C/PM240-2 all Frame C	4.4 (9.7)	5.1 (11.1)	9.5 (20.8)	530 (20.87)	152 (5.98)	230 (9.06)
6SL3262-1CD00-0BA0	5	G120C/PM240-2/PM240P-2 all Frame D	18.5 (41)	9.4 (21)	27.9 (62)	754 (29.69)	212 (8.35)	260 (10.24)
6SL3262-1CE00-0BA0	6	G120C/PM240-2/PM240P-2 all Frame E	28 (62)	13 (29)	41.2 (91)	904 (35.57)	287 (11.30)	260 (10.24)
6SL3262-1CF00-0BA0	7	G120C/PM240-2/PM240P-2 all Frame F	63 (139)	20.4 (45)	83.4 (184)	1104 (43.33)	318 (12.52)	383 (15.09)



	Drill pattern mm (in.)				
	a	b	c	d	e
Kit 1 (G120C FSAA)	67 (2.63)	83 (3.26)	160 (6.29)	–	–
Kit 2 (G120C/PM240-2 FSA)	67 (2.63)	78 (3.07)	186 (7.32)	62.3 (2.45)	–
Kit 2 (G120C FSB)	80 (3.14)	78 (3.07)	186 (7.32)	80 (3.14)	–
Kit 3 (PM240-2 FSB)	80 (3.14)	78 (3.07)	281 (11.06)	80 (3.14)	–
Kit 4 (G120C FSC)	118 (4.64)	78 (3.07)	283 (11.14)	118 (4.65)	–
Kit 4 (PM240-2 FSC)	118 (4.64)	78 (3.07)	343 (13.50)	118 (4.65)	–
Kit 5 (G120C/PM240-2/PM240P-2 FSD)	170 (6.69)	35.5 (1.40)	50 (1.97)	430 (16.93)	600 (23.62)
Kit 6 (G120C/PM240-2/PM240P-2 FSE)	230 (9.06)	50 (1.97)	50 (1.97)	509 (20.04)	690 (27.17)
Kit 7 (G120C/PM240-2/PM240P-2 FSF)	270 (10.63)	51 (2.01)	50 (1.97)	680 (26.77)	860 (33.86)

Published by  
Siemens Industry, Inc.

5300 Triangle Parkway  
Norcross, GA 30092

(770) 871-3800

[usa.siemens.com/motioncontrol](http://usa.siemens.com/motioncontrol)

Order No. DRFL-BDK17-0718

Printed in USA

© 2018 Siemens Industry, Inc.

This document contains only general descriptions or performance features, which do not always apply in the manner described in concrete application situations or may change as the products undergo further development. Performance features are valid only if they are formally agreed upon when the contract is closed. Siemens is a registered trademark of Siemens AG. Product names mentioned may be trademarks or registered trademarks of their respective companies. Specifications are subject to change without notice.